

# Edexcel GCSE

## Mathematics (Linear) – 1MA0

# DIRECT & INVERSE PROPORTIONALITY

### Materials required for examination

Ruler graduated in centimetres and millimetres, protractor, compasses, pen, HB pencil, eraser.  
Tracing paper may be used.

### Items included with question papers

Nil

### Instructions

---

Use black ink or ball-point pen.

Fill in the boxes at the top of this page with your name, centre number and candidate number.

Answer all questions.

Answer the questions in the spaces provided – there may be more space than you need.

Calculators may be used.

### Information

---

The marks for each question are shown in brackets – use this as a guide as to how much time to spend on **each** question.

Questions labelled with an **asterisk** (\*) are ones where the quality of your written communication will be assessed – you should take particular care on these questions with your spelling, punctuation and grammar, as well as the clarity of expression.

### Advice

---

Read each question carefully before you start to answer it.

Keep an eye on the time.

Try to answer every question.

Check your answers if you have time at the end.

1. The weight of a piece of wire is directly proportional to its length.

A piece of wire is 25 cm long and has a weight of 6 grams.  
Another piece of the same wire is 30 cm long.

Calculate the weight of the 30 cm piece of wire.

7.2  
..... grams  
(Total 2 marks)

2. A ball falls vertically after being dropped.  
The ball falls a distance  $d$  metres in a time of  $t$  seconds.  
 $d$  is directly proportional to the square of  $t$ .

The ball falls 20 metres in a time of 2 seconds.

- (a) Find a formula for  $d$  in terms of  $t$ .

$d = \dots\dots 5t^2 \dots\dots$   
(3)

- (b) Calculate the distance the ball falls in 3 seconds.

45m  
..... m  
(1)

- (c) Calculate the time the ball takes to fall 605 m.

.....11..... seconds  
(3)  
(Total 7 marks)

3. The time,  $T$  seconds, it takes a water heater to boil some water is directly proportional to the mass of water,  $m$  kg, in the water heater.

When  $m = 250$ ,  $T = 600$

- (a) Find  $T$  when  $m = 400$

$T = \dots\dots\dots 960 \text{ seconds}$  (3)

The time,  $T$  seconds, it takes a water heater to boil a constant mass of water is inversely proportional to the power,  $P$  watts, of the water heater.

When  $P = 1400$ ,  $T = 360$

- (b) Find the value of  $T$  when  $P = 900$

$T = \dots\dots\dots 360 \dots\dots\dots$  (3)  
(Total 6 marks)

4.  $D$  is proportional to  $S^2$ .

$D = 900$  when  $S = 20$

Calculate the value of  $D$  when  $S = 25$

$D = \dots\dots\dots 1406.25 \dots\dots\dots$  (Total 4 marks)

5. In a spring, the tension ( $T$  newtons) is directly proportional to its extension ( $x$  cm).

When the tension is 150 newtons, the extension is 6 cm.

- (a) Find a formula for  $T$  in terms of  $x$ .

$$T = \dots\dots\dots 25X \dots\dots\dots \quad (3)$$

- (b) Calculate the tension, in newtons, when the extension is 15 cm.

$$\dots\dots\dots 375 \dots\dots\dots \text{ newtons} \quad (1)$$

- (c) Calculate the extension, in cm, when the tension is 600 newtons.

$$\dots\dots\dots 24 \dots\dots\dots \text{ cm} \quad (1)$$

**(Total 5 marks)**

6.  $d$  is directly proportional to the square of  $t$ .

$d = 80$  when  $t = 4$

- (a) Express  $d$  in terms of  $t$ .

$$\dots 5t^2 \dots \quad (3)$$

- (b) Work out the value of  $d$  when  $t = 7$

$$d = \dots 245 \dots \quad (1)$$

- (c) Work out the positive value of  $t$  when  $d = 45$

$$t = \dots 3 \dots \quad (2)$$

**(Total 6 marks)**

7. The distance,  $D$ , travelled by a particle is directly proportional to the square of the time,  $t$ , taken.

When  $t = 40$ ,  $D = 30$

- (a) Find a formula for  $D$  in terms of  $t$ .

$$D = 0.01875t^2$$

- (b) Calculate the value of  $D$  when  $t = 64$

$$76.8$$

(1)

- (c) Calculate the value of  $t$  when  $D = 12$   
Give your answer correct to 3 significant figures.

$$25.3$$

(2)

(Total 6 marks)

8.  $M$  is directly proportional to  $L^3$ .

When  $L = 2$ ,  $M = 160$

Find the value of  $M$  when  $L = 3$

540

(Total 4 marks)

9.  $p$  is inversely proportional to  $m$ .  
 $p = 48$  when  $m = 9$

Calculate the value of  $p$  when  $m = 12$

36

(Total 2 marks)

- 10.**  $r$  is inversely proportional to  $t$ .  
 $r = 12$  when  $t = 0.2$

Calculate the value of  $r$  when  $t = 4$ .

0.6

(Total 3 marks)

- 11.**  $f$  is inversely proportional to  $d$ .

When  $d = 50$ ,  $f = 256$

Find the value of  $f$  when  $d = 80$

$f = 160$

(Total 3 marks)



12.  $y$  is inversely proportional to  $x^2$ .

Given that  $y = 2.5$  when  $x = 24$ ,

- (i) find an expression for  $y$  in terms of  $x$

$$1440/x^2$$

$$y = \dots\dots\dots$$

- (ii) find the value of  $y$  when  $x = 20$

$$3.6$$

$$y = \dots\dots\dots$$

- (iii) find a value of  $x$  when  $y = 1.6$

$$x=30$$

$$x = \dots\dots\dots$$

(Total 6 marks)

13.  $P$  is inversely proportional to  $d^2$ .

$P = 10\,000$  when  $d = 0.4$

Find the value of  $P$  when  $d = 0.8$

$$P = \dots\dots\dots 40000$$

(Total 3 marks)

14. The shutter speed,  $S$ , of a camera varies inversely as the square of the aperture setting,  $f$ .

When  $f = 8$ ,  $S = 125$

- (a) Find a formula for  $S$  in terms of  $f$ .

$$S = 8000/f^2$$

.....

(3)

- (b) Hence, or otherwise, calculate the value of  $S$  when  $f = 4$

$$S = \dots\dots 500 \dots\dots$$

(1)

(Total 4 marks)

15.  $q$  is inversely proportional to the square of  $t$ .

When  $t = 4$ ,  $q = 8.5$

- (a) Find a formula for  $q$  in terms of  $t$ .

$$q = 136/t^2$$

$$q = \dots\dots\dots$$

(3)

- (b) Calculate the value of  $q$  when  $t = 5$

$$5.44$$

$$\dots\dots\dots$$

(1)

(Total 4 marks)

**16.**  $P$  is inversely proportional to  $V$ .

When  $V = 8$ ,  $P = 5$

- (a) Find a formula for  $P$  in terms of  $V$ .

$$p=40/V$$

$$P = \dots\dots\dots (3)$$

- (b) Calculate the value of  $P$  when  $V = 2$

$$20$$

$$\dots\dots\dots (1)$$

**(Total 4 marks)**

**17.** The force,  $F$ , between two magnets is inversely proportional to the square of the distance,  $x$ , between them.

When  $x = 3$ ,  $F = 4$ .

- (a) Calculate  $F$  when  $x = 2$ .

$$9$$

$$\dots\dots\dots (4)$$

- (b) Calculate  $x$  when  $F = 64$ .

$$x = 0.75$$

$$\dots\dots\dots (2)$$

**(Total 6 marks)**